

Corrigendum to

“Linsley’s EAS time structure method for the primary cosmic ray spectrum at LAAS” published in Astrophys. Space Sci. Trans., 7, 335–344, 2011

A. Iyono¹, H. Matsumoto¹, K. Okei², S. Tsuji², S. Ohara³, N. Ochi⁴, T. Konishi⁵, N. Takahashi⁶, I. Yamamoto⁷, T. Nakatsuka⁸, T. Nakamura⁹, N. Ohmori⁹, and K. Saito¹⁰

¹Dept. of Fundamental Science, Okayama University of Science, Okayama 700-0005, Japan

²Kawasaki Medical School, Kurashiki 701-0192, Japan

³Nara University of Industry, Nara 636-8503, Japan

⁴Yonago National College of Technology, Tottori 683-8502, Japan

⁵Kinki University, Osaka 577-8502, Japan

⁶Dept. of Physics, Hirosaki University, Hirosaki 036-8561, Japan

⁷Dept. of Information and Computer Engineering, Okayama University of Science, Okayama 700-0005, Japan

⁸Okayama Shoka University, Okayama 700-86011, Japan

⁹Kochi University, Kochi 780-8520, Japan

¹⁰Ashikaga Institute of Technology, Ashikaga 326-8558, Japan

In Sect. 3.1, p. 338 of originally published paper, the formulae (1) and (2), were not correctly typed out. The correct versions of the formulae (1) and (2) are

$$\langle \sigma_t \rangle = \sigma_{t0} \left(1 + \frac{r}{r_t} \right)^b \quad (1)$$

and

$$\sigma_t = \frac{\sqrt{2}}{1.67} t_{\text{median}} \quad (2)$$

respectively.



Correspondence to: A. Iyono
(iyono@das.ous.ac.jp)